




SCIENCE & ART

BAOT[®]

Diamond Bur HP
(Electroplated)
金刚石磨头
(电镀)



Sharp and Durable,
Grind or polish Ceramics
锋利,实用,磨削平稳
适合车瓷,不留黑印



Grit

- Black / Super Coarse
- Green / Coarse
- Blue / Medium
- Red / Fine


Fine,
Red
细砂,
红圈



编号 No.

For grind Zirconia 可用来车氧化锆


Medium
Blue
标准砂
蓝圈



编号 No.


Round / 圆球

Inverted Cone / 倒锥



Wheel / 平轮 Cylinder / 平柱


Round Cylinder / 圆头柱



Needle / 尖针

Taper / 平锥

Round Taper / 圆头锥



Inverted Cone / 倒锥

Pearl

Flame / 火焰

R.Taper

Torpedo


Wheel / 火焰

Super Coarse
Black
特粗砂
黑圈



编号 No.

Coarse
Green
粗砂
绿圈



编号 No.

Fine
Red
细砂
红圈
ISO 807.104.514

											
001 3.1 3.1	3.7 3.7	5.0 5.0	6.0 6.0	012 3.7 5.0	068 6.0 3.0	112 3.7 10.0	5.0 13.0	141 3.1 9.0	3.7 10.0	5.0 11.0	161 3.1 9.0
D031F	D037F	D050F	D060F	K037F	J060F	A037F	A050F	C031F	C037F	C050F	M031F

							
3.7 10.0	5.0 13.0	198 3.7 10.0	5.0 13.0	257 3.7 10.0	5.0 13.0	274 3.7 10.0	5.0 13.0
M037F	M050F	L037F	L050F	G037F	G050F	F037F	F050F

Extra Fine
Yellow
特细砂
黄圈
ISO 807.104.504

											
001 3.1 3.1	3.7 3.7	5.0 5.0	6.0 6.0	012 3.7 5.0	068 6.0 3.0	112 3.7 10.0	5.0 13.0	141 3.1 9.0	3.7 10.0	5.0 11.0	161 3.1 9.0
D031EF	D037EF	D050EF	D060EF	K037EF	J060EF	A037EF	A050EF	C031EF	C037EF	C050EF	M031EF



							
3.7 10.0	5.0 13.0	198 3.7 10.0	5.0 13.0	257 3.7 10.0	5.0 13.0	274 3.7 10.0	5.0 13.0
M037EF	M050EF	L037EF	L050EF	G037EF	G050EF	F037EF	F050EF

Diamond Disc

金刚石
切片



How to order these descriptions:



Extra Thin, 0.15mm
Double sided
Extra Fine
超薄, 双面砂
ISO 806.900.504



编号 No. A19D15 A22D15 Am13D15 Am16D15 Am19D15 Am22D15

Thin, 0.20 x 19mm
Double sided
Fine Grit
较薄, 双面砂
ISO 806.900.504



编号 No. A19D20 B19D20 C19D20 N19D20 Am19D20 Bm19D20 Em19D20 Hm19D20

Thin, 0.20 x 22mm
Double sided
Fine Grit
较薄, 双面砂
ISO 806.900.514




Am22D20 Bm22D20 Cm22D20 Em22D20 Im22D20 Jm22D20 Hm22D20




A22D20 B22D20 C22D20 E22D20 F22D20 H22D20 J22D20 N22D20


Hard, 0.3 - 0.4mm
Double sided
Medium Grit
厚硬, 双面砂
ISO 806.900.524



编号 No. Am19D30 Am22D30 Am22D40 A19D40 A22D40
19.0 ± 0.3 mm 22.0 ± 0.3 mm 22.0 ± 0.4 mm 19.0 ± 0.4 mm 22.0 ± 0.4 mm




Single-sided
仅单面镀砂



编号 No. A22S20 Am22S20 Am22S30 Am19S50
ISO 806.900. 22.0 ± 0.2 mm, Fine 22.0 ± 0.2 mm 22.0 ± 0.3 mm, Medium 19.0 ± 0.5 mm


Fast Cutting
Plaster Disc
0.3mm, Double sided
石膏模切片
切口平直,
无偏摆



30mm



35mm



35mm



35mm

编号 No.

C30D30

A35D30

C35D30

J35D30



40mm

A40D30



40mm

C40D30




40mm

J40D30




45mm

Cb45D30



45mm

Ab45D30




85mm

Ch85D30

Plaster Trimming wheel 石膏修整盘

Cuts Fast and last longer
Ensure immediate removal
Used dry or wet on all materials.


快速磨削, 耐用; 即装即用
干磨水磨都可以。



R10

10' x 1/4' x 1' @ 250 x 6.3 x 25.4mm

Resin Plastic base 塑料板, 轻便, 节能



R12

12' x 1/4' x 1' @ 300 x 6.3 x 25.4mm



S10

10' x 1/8' x 1' @ 250 x 3.0 x 25.4mm

Steel base 钢板



C10

10' x 1/4' x 1' @ 250 x 6.3 x 25.4mm

Silicon Carbide 碳化硅

Please notice Inner hole diameter; 1.25' = 32 mm is also alternative.

重要提示: 请注意您设备转轴的直径, 并选择相应的内孔
我们可提供 25mm 和 32mm 的内孔供您选择。

Tungsten Carbide Burs . HP

钨钢车针

Cut sharply,
precise, Durable


很锋利,精准,耐用





Shape

- S1, ISO 001, Round
- S2, ISO 002, Inverted cone
- S21, S31, ISO 107, Cylinder
- S33, ISO 168, Taper
- S31R, ISO 137, Round, Cylinder

												
S1	001 0.5	001 0.6	001 0.7	001 0.8	001 0.9	001 1.0	001 1.2	001 1.4	001 1.6	001 1.8	001 2.1	001 2.3
球形/Round												
编号 No.	1005	1006	1007	1008	1009	1010	1012	1014	1016	1018	1021	1023
参考号 Ref.	HP1/4	HP1/2	HP1s	HP 1	HP 1b	HP 2	HP 3	HP 4	HP 5	HP 6	HP 7	HP 8

												
001 2.5	001 2.7	001 3.1	S2	010 0.8	010 1.0	010 1.2	010 1.4	010 1.6	010 1.8	010 2.1	010 2.3	S21
			倒锥/Inv. Cone									圆柱/Cylinder
1025	1027	1031		2008	2010	2012	2014	2016	2018	2021	2023	
HP 9	HP 10	HP 12		HP 34	HP 35	HP 36	HP 37	HP 38	HP 39	HP 40	HP 41	

												
107 0.8	107 0.9	107 1.0	107 1.2	107 1.4	107 1.6	107 1.8	107 2.1	107 2.3	S31	107 0.8	107 0.9	107 1.0
									圆柱/Cylinder			
21008	21009	21010	21012	21014	21016	21018	21021	21023		31008	31009	31010
HP 55	HP 56	HP 57	HP 58	HP 59	HP 60	HP 61	HP 62	HP 63		HP 555	HP 556	HP 557


												
107 1.2	107 1.4	107 1.6	107 1.8	107 2.1	107 2.3	S33	168 0.8	168 0.9	168 1.0	168 1.2	168 1.6	168 2.1
						平锥/Taper						
31012	31014	31016	31018	31021	31023		33008	33009	33010	33012	33016	33021
HP 558	HP 559	HP 560	HP 561	HP 562	HP 563		HP 698	HP 699	HP 700	HP 701	HP 702	HP 703

												
168 2.3	S33L	171 0.9	171 1.0	171 1.2	171 1.6	171 2.1		S31R				
	平锥加长/Taper L							圆头柱 Round Cyl.				
33023		33L009	33L010	33L012	33L016	33L021			31R010	31R012	31R014	
HP 704		HP 699 L	HP 700 L	HP 701 L	HP 702 L	HP 703 L			HP 1557	HP 1558	HP 1559	

Tungsten carbide
Cutter . HP
高品质
钨钢磨头



Cut sharply,
Precise and Durable
很锋利,精确耐用



Super Fine Cross Cut (SFE) 特细交叉纹 黄圈 ISO 500.104.110.								Fine Cross Cut (FE) 较细交叉纹 红圈 ISO 500.104.140.			
											
145 023 16.0	198 016 8.0	201 023 14.0	201 040 14.0	237 023 5.0	257 023 7.0	274 040 11.5	292 023 16.0	145 023 16.0	198 016 8.0	201 023 14.0	
编号 No.	0230.023	1210.016	0130.023	5730.040	7730.023	1030.023	7230.040	0430.023	0220.023	1220.016	0120.023
参考号 Ref.	C023SFE	L016SFE	L023SFE	L040SFE	P023SFE	G023SFE	F040SFE	Q023SFE	C023FE	L016FE	L023FE

Medium Cross Cut (CE) 标准交叉纹 蓝圈 ISO 500.104.190.											
201 040 14.0	237 023 5.0	257 040 9.0	257 060 12.0	274 060 14.0	292 023 16.0	001 023 2.3	001 030 3.0	001 040 4.0	001 050 5.0	116 023 16.0	145 023 16.0
5720.040	7720.023	6120.040	5320.060	5420.060	0420.023	7110.023	7110.030	7110.040	7110.050	0310.023	0210.023
L040FE	P023FE	G040FE	G060FE	F060FE	Q023FE	D023CE	D030CE	D040CE	D050CE	A023CE	C023CE

161 060 15.0	201 023 14.0	201 040 14.0	201 060 15.0	237 023 5.0	237 060 11.0	257 023 7.0	257 040 9.0	257 060 12.0	274 040 11.5	274 060 14.0	292 023 16.0
5910.060	0110.023	5710.040	5510.060	7710.023	5110.060	1010.023	6110.040	5310.060	7210.040	5410.060	0410.023
M060CE	L023CE	L040CE	L060CE	P023CE	P060CE	G023CE	G040CE	G060CE	F040CE	F060CE	Q023CE

Medium Plain Cut (CN) 标准单纹 蓝圈 ISO 500.104.175.								Coarse Cross Cut (SCE) 粗糙交叉纹 绿圈 ISO 500.104.220		
001 030 3.0	001 040 4.0	001 050 5.0	201 040 14.0	201 060 15.0	161 060 14.0	257 060 12.0	274 060 14.0	201 060 14.0	201 040 14.0	201 060 14.0
7170.030	7170.040	7170.050	5770.040	5570.060	5970.060	5370.060	5470.060	5850.060	5750.040	5550.060
D030CN	D040CN	D050CN	L040CN	L060CN	M060CN	G060CN	F060CN	C060SCE	L040SCE	L060SCE

Especial 特殊纹							
237 060 11.0	257 060 12.0	274 060 14.0	201 040 14.0	263 070 14.0	274 060 15.0	467 023 9.0	118 060 3.5
5150.060	5350.060	5450.060	6925.040	6055.070	7275.060	467.023	118.060
P060SCE	G060SCE	F060SCE	L040QSF	L070XCE	F060QSCN	AL023S4	ES801


CAD / CAM Milling Burs.

铣刀



Advantages


1. Precisely match Various System
2. Working More Efficiently
3. Durable and Valuable
4. R & D Capabilities to New.
5. More Individual Designed



D1 : Cutting Edge Diameter (.mm) L1 : Cutting Edge Length (.mm)
D2 : Shank Diameter (.mm) L2 : Free Grinding to(.mm)
L3 : Total Length (.mm)

Coating

CrN : for PMMA
AL : for Metal
NC : for Zirconia
DC : for Zirconia,
More Durable.



Article No	Coating	D1	L1	L2	L3	D2
for Roland 50						
RL-50-03-NC	NC	0.3	1.5	6.0	50.0	4.0
RL-50-06-CRN	CRN	0.6	1.5	6.0	50.0	4.0
RL-50-06-NC	NC					
RL-50-10A-CRN	CRN	1.0	3.5	16.0	50.0	4.0
RL-50-10A-NC	NC					
RL-50-20A-CRN	CRN	2.0	6.0	16.0	50.0	4.0
RL-50-20A-NC	NC					
RL-50-20A-DC	DC					
RL-50-10B-CRN	CRN	1.0	3.5	20.0	50.0	4.0
RL-50-10B-NC	NC					
RL-50-20B-CRN	CRN	2.0	6.0	25.0	52.0	4.0
RL-50-20B-NC	NC					
RL-50-20B-DC	DC					

Article No	Coating	D1	L1	L2	L3	D2
for 3 M ESPE LAVA						
LV-00-10-CRN	CRN	1.0	3.5	16.0	38.0	3.0
LV-00-10-NC	NC					
LV-00-20-CRN	CRN	2.0	6.0	16.0	38.0	3.0
LV-00-20-NC	NC					
LV-00-20-DC	DC					
LV-01-10-CRN	CRN	1.0	2.0	25.0	50.0	3.0
LV-01-10-NC	NC					
LV-01-20-CRN	CRN	2.0	2.0	25.0	50.0	3.0
LV-01-20-NC	NC					
LV-01-20-DC	DC					

Article No	Coating	D1	L1	L2	L3	D2
for RK						
RK-00-10-DC	DC	1.0	3.5	16.0	47.0	3.0
RK-00-20-DC	DC	2.0	3.5	16.0	47.0	3.0

Article No	Coating	D1	L1	L2	L3	D2
for Imes-Icore 240, 250						
II-24-06-CRN	CrN	0.6	1.5	10.0	48.0	3.0
II-24-06-NC	NC					
II-24-10-CRN	CrN	1.0	5.0	14.0	48.0	3.0
II-24-10-NC	NC					
II-24-25-CRN	CrN	2.5	8.0	20.0	48.0	3.0
II-24-25-NC	NC					
II-24-25-DC	DC					

Article No	Coating	D1	L1	L2	L3	D2
for Imes-Icore 350, 550, 750						
II-75-06-CRN	CrN	0.6	2.5	12.0	53.0	6.0
II-75-06-NC	NC					
II-75-10-CRN	CrN	1.0	6.0	14.0	53.0	6.0
II-75-10-NC	NC					
II-75-25-CRN	CrN	2.5	10.0	20.0	53.0	6.0
II-75-25-NC	NC					
II-75-25-DC	DC					

Article No	Coating	D1	L1	L2	L3	D2
for Amann Girrbach						
AG-00-06-CRN	CrN	0.6	1.5	13.0	47.0	3.0
AG-00-06-NC	NC					
AG-00-10-CRN	CrN	1.0	3.5	16.0	47.0	3.0
AG-00-10-NC	NC					
AG-00-25-CRN	CrN	2.5	5.0	16.0	47.0	3.0
AG-00-25-NC	NC					
AG-00-25-DC	DC					

Article No	Coating	D1	L1	L2	L3	D2
for Amann Girrbach - Metal mill						
AG-01-10-AL	Alnova	1.0	5.0	7.0	43.0	3.0
AG-01-20-AL	Alnova	2.0	5.0	7.0	43.0	3.0

Article No	Coating	D1	L1	L2	L3	D2
for VHF K1, K4						
VH-K4-06-CRN	CRN	0.6	2.0	7.0	35.0	3.0
VH-K4-06-NC	NC					
VH-K4-10-CRN	CRN	1.0	3.5	16.0	35.0	3.0
VH-K4-10-NC	NC					
VH-K4-20-CRN	CRN	2.0	5.0	16.0	35.0	3.0
VH-K4-20-NC	NC					

Article No	Coating	D1	L1	L2	L3	D2
for VHF K5						
VH-K5-03-NC	CRN	0.3	1.2	13.0	40.0	3.0
VH-K5-06-CRN	CRN	0.6	1.5	7.0	40.0	3.0
VH-K5-06-NC	NC					
VH-K5-10-CRN	CRN	1.0	3.5	14.0	40.0	3.0
VH-K5-10-NC	NC					
VH-K5-20-CRN	CRN	2.0	4.5	16.0	40.0	3.0
VH-K5-20-NC	NC					
VH-K5-20-DC	DC					

Article No	Coating	D1	L1	L2	L3	D2
for Dentium						
DT-00-10-NC	NC	1.0	3.5	16.0	50.0	6.0
DT-00-20-NC	NC	2.0	3.5	16.0	50.0	6.0
DT-00-20-DC	DC					
DT-01-05-NC	NC	0.5	2.0	8.0	43.0	3.0
DT-01-10-CrN	CrN	1.0	3.5	16.0	50.0	3.0
DT-01-10-NC	NC					
DT-01-20-CrN	CrN	2.0	3.5	18.0	50.0	3.0
DT-01-20-NC	NC					
DT-01-20-DC	DC					

Article No	Coating	D1	L1	L2	L3	D2
for Zirkon Zahn M3						
						
ZZ-03-05-CRN	CrN	0.5	1.5	6.0	57.0	3.0
ZZ-03-05-NC	NC					
						
ZZ-03-10-CRN	CrN	1.0	6.0	12.0	57.0	3.0
ZZ-03-10-NC	NC					
						
ZZ-03-20-CRN	CrN	2.0	10.0	18.0	57.0	3.0
ZZ-03-20-NC	NC					
ZZ-03-20-DC	DC					

Article No	Coating	D1	L1	L2	L3	D2
for Zirkon Zahn M5, M6, etc						
						
ZZ-06-05-NC	NC	0.5	1.5	3.0	50.0	6.0
						
ZZ-06-10-NC	NC	1.0	6.0	12.0	50.0	6.0
						
ZZ-06-20-NC	NC	2.0	10.0	18.0	50.0	6.0
ZZ-06-20-DC	DC					

Article No	Coating	D1	L1	L2	L3	D2
for Sirona MX 5						
						
SR-MX-05-NC	NC	0.5	1.5	5.0	42.0	3.0
						
SR-MX-10-NC	NC	1.0	4.5	16.0	43.0	3.0
						
SR-MX-25-NC	NC	2.5	7.0	25.0	43.0	3.0
SR-MX-25-DC	DC					

Article No	Coating	D1	L1	L2	L3	D2
for Cercon						
						
CC-00-05-NC	NC	0.5	2.0	10.0	55.0	3.5
						
CC-00-10-NC	NC	1.0	8.0	30.0	55.0	3.5
						
CC-00-20-NC	NC	2.0	10.0	30.0	55.0	3.5

Article No	Coating	D1	L1	L2	L3	D2
for Arum						
						
AR-00-10-CrN	CrN	1.0	2.0	16.0	55.0	6.0
AR-00-10-NC	NC					
						
AR-00-20-CrN	CrN	2.0	6.0	20.0	55.0	6.0
AR-00-20-NC	NC					
AR-00-20-DC	DC					

Article No	Coating	D1	L1	L2	L3	D2
for Wieland Mini						
						
WL-MI-07-CRN	CrN	0.7	1.5	7.0	35.0	3.0
WL-MI-07-NC	NC					
						
WL-MI-10-CRN	CrN	1.0	3.5	16.0	35.0	3.0
WL-MI-10-NC	NC					
						
WL-MI-25-CRN	CrN	2.5	3.5	20.0	35.0	3.0
WL-MI-25-NC	NC					

Article No	Coating	D1	L1	L2	L3	D2
for Wieland S1						
						
WL-S1-07-CRN	CrN	0.7	1.5	7.0	40.0	3.0
WL-S1-07-NC	NC					
						
WL-S1-10-CRN	CrN	1.0	3.5	16.0	40.0	3.0
WL-S1-10-NC	NC					
						
WL-S1-25-CRN	CrN	2.5	5.0	20.0	40.0	3.0
WL-S1-25-NC	NC					
WL-S1-25-DC	DC					

Article No	Coating	D1	L1	L2	L3	D2
for Kavo						
						
KA-00-10-DC	DC	1.0	2.0	16.0	53.0	6.0
						
KA-00-20-DC	DC	2.0	6.0	19.5	53.0	6.0

Article No	Coating	D1	L1	L2	L3	D2
for Yena						
						
YN-00-10-NC	NC	1.0	3.5	16.0	45.0	4.0
						
YN-00-20-NC	NC	2.0	3.5	16.0	45.0	4.0
YN-00-20-DC	DC					

Article No	Coating	D1	L1	L2	L3	D2
for Arum - Metal Mill						
						
AR-01-10-AL	Alnova	1.0	2.0	10.0	50.0	6.0
						
AR-01-15-AL	Alnova	1.5	3.0	10.0	50.0	6.0
						
AR-01-20-AL	Alnova	2.0	4.0	12.0	50.0	6.0
						
AR-01-30-AL	Alnova	3.0	6.0	12.0	50.0	6.0

**The following milling burs are matched
for any China's Brand CAD/CAM**

Article No	Coating	D1	L1	L2	L3	D2
						
XT-22-05-CRN	CrN	0.5	1.6	7.0	50.0	3.0
XT-22-05-NC	NC					
						
XT-22-10-CRN	CrN	1.0	3.5	16.0	50.0	3.0
XT-22-10-NC	NC					
						
XT-22-20-CRN	CrN	2.0	10.0	22.0	50.0	3.0
XT-22-20-NC	NC					
XT-22-20-DC	DC					

Article No	Coating	D1	L1	L2	L3	D2
						
SD-00-06-CRN	CrN	0.6	2.0	6.0	38.0	3.175
SD-00-06-NC	NC					
						
SD-00-10-CRN	CrN	1.0	3.5	16.0	38.0	3.175
SD-00-10-NC	NC					
						
SD-00-20-CRN	CrN	2.0	3.5	16.0	38.0	3.175
SD-00-20-NC	NC					
SD-00-20-DC	DC					
						
SD-01-10-CRN	CrN	1.0	3.5	20.0	45.0	3.175
SD-01-10-NC	NC					
						
SD-01-20-CRN	CrN	2.0	3.5	20.0	45.0	3.175
SD-01-20-NC	NC					
SD-01-20-DC	DC					

Article No	Coating	D1	L1	L2	L3	D2
						
CR-00-10-CRN	CrN	1.0	3.5	16.0	38.0	3.0
CR-00-10-NC	NC					
						
CR-00-20-CRN	CrN	2.0	3.5	16.0	38.0	3.0
CR-00-20-NC	NC					
CR-00-20-DC	DC					

Article No	Coating	D1	L1	L2	L3	D2
						
LN-00-10-CRN	CrN	1.0	3.5	16.0	50.0	6.0
LN-00-10-NC	NC					
						
LN-00-20-CRN	CrN	2.0	3.5	16.0	50.0	6.0
LN-00-20-NC	NC					
LN-00-20-DC	DC					



Tungsten Carbide Burs for simple Milling Machines

钨钢车针(精密研磨仪用)

Precisely match Various System in conformity with ISO Standards ;
Extra - long working life and high cutting capacity ;
Used for trimming and polishing implant teeth shoulders ;
milling precious or Non-precious metals or Titanium .



标准双纹 , Standard Cross Cut

细齿单纹 , Plain Cut Fine



粗齿双纹 , Coarse Cross Cut





蜡型车针 , For Wax mill

Diamond Stones for Zirconia and All-Ceramics

锆牙磨头



MORE COMFORTABLE at the minimal pressure;
HEATLESS no need water cooling ;
MORE DURABLE under our suggested PRM
1. 不产热, 无需水冷; 2. 更耐磨, 实惠;
3. 锋利, 手感好, 更轻松!



Diamond Polishers for Zirconia and All-ceramics




硅胶金刚石抛光

Especially designed for polishing all types of Ceramics and Zirconia, with unique combination of Pure Diamond particles, Aluminum oxide, Glass etc. Create this spectacular range of abrasive instruments. Using the suggested RPM, guarantee to cut and abrade materials with great ease.



Universal diamond polisher for zirconia, lithium disilicate ceramic, porcelain and composite. Suitable for large and inaccessible surface, enable users to polish different areas with just one instrument.

万能金刚石抛光轮,可用于氧化锆、玻璃陶瓷、烤瓷及树脂的快速抛光。适合颌面、缝隙、瓷贴面、树脂贴面等大范围或难以抛光的区域,快速高效。




Silicon Rubber, Rubber Polishing bur, Wheel & Point 胶轮胶粒, 硅胶磨头



C Series, Reduce, Smooth and polish Ceramics, C系列: 用于烤瓷牙抛光
A Series, Polish Gold, Amalgam, Metal, Alloy etc, A系列: 用于金属, 合金抛光
R Series, Fast reduce, finish or polish Acrylic. R系列: 用于塑料胶托抛光


Silicon Rubber Wheel & Point Ceramic Polishing 胶轮, 胶粒 (烤瓷牙抛光)



编号 No.	C104 C	C107 C	C101 C	C104 M	C107 M	C101 M	C104 F	C107 F	C101 F
颜色, 粒度 Grit	White, Coarse; 白色. 粗糙			Pink, Medium; 粉色. 中粗			Blue, Fine; 蓝色. 较细		


Silicon Rubber Bur Ceramic Polishing

硅胶磨头 (烤瓷牙抛光)



编号 No.	C203 C	C201 C	C205 C	C207 C	C203 M	C201 M	C205 M	C207 M	C203 F	C201 F	C205 F	C207 F
颜色, 粒度 Grit	White, Coarse; 白色. 粗糙				Pink, Medium; 粉色. 中粗				Blue, Fine; 蓝色. 较细			

Durable Rubber Wheel & Point Metal, Alloy Polishing 胶轮, 胶粒 (金属, 合金抛光)



编号 No.	A102 C	A103 C	A104 C	A102 M	A103 M	A104 M	A102 F	A103 F	A104 F
颜色, 粒度 Grit	Black, Coarse; 黑色. 粗糙			Brown, Medium; 棕色. 中粗			Green, Fine; 绿色. 较细		

Durable Rubber Bur Metal, Alloy Polishing

橡胶磨头 (金属, 合金抛光)



编号 No.	A203 C	A201 C	A206 C	A207 C	A203 M	A201 M	A206 M	A207 M	A203 F	A201 F	A206 F	A207 F
颜色, 粒度 Grit	Black, Coarse; 黑色. 粗糙				Brown, Medium; 棕色. 中粗				Green, Fine; 绿色. 较细			

Silicon Rubber Bur Acrylic Polishing Reinforced Shank 橡胶磨头 加硬柄 (塑料基托抛光)



编号 No.	Rh101 C	Rh103 C	Rh106 C	Rh101 M	Rh103 M	Rh106 M	Rh101 F	Rh103 F	Rh106 F
颜色, 粒度 Grit	Green, Coarse; 绿色. 粗糙			Grey, Medium; 灰黑色. 中粗			Yellow, Fine; 黄色. 较细		

Silicon Rubber Bur Acrylic Polishing


橡胶磨头 (基托抛光)



编号 No.	R103 C	R106 C	R209 C	R103 M	R106 M	R209 M	R103 F	R106 F	R209 F	R202 F
颜色, 粒度 Grit	Green, Coarse; 绿色. 粗糙			Grey, Medium; 灰黑色. 中粗			Yellow, Fine; 黄色. 较细			

Green Stone
Medium
Contour Ceramic
绿车石
调烤瓷

编号 No.



Pink Stone
Medium
for Metal, Alloy
粉车石
调金属,合金

编号 No.



White Stone
for Metal, Alloy
Composite,
白车石
调金属,合金
复合材料


编号 No.



Abrasive
Sandpaper
with mandrel

砂纸棒


编号,目数 No./Grit



Mandrels
Stainless
Reinforced
不锈钢
夹针

编号 No.


Head size



Mandrels
Steel
普通
夹针

编号 No.

Head size



Polishing brush & Wheel in Bristle, Cotton Cloth 抛光刷



These brushed are made of bristle hair or White, yellow pure cotton cloth , assembled on polishing latch to finish or polish Plaster Moulds, Acrylic 台式抛光机配用的抛光刷/布轮,用于抛光塑料,树脂,模型等。

P80C

P80S

J03

J02

J01

2A

2B

2C

6A

6B

6C

03B48

Crimped brass Wire

03D48

Black bristle

03G48

White Goat Hair

03T48

Cotton Yarn

3' x 50

4' x 50


5 x 50

6 x 50

4 x 50

5 x 50

6 x 50



Polishing Brushes 抛光刷

Item	2A	2B	2C	6A	6B	6C	J03	J02	J01	P80	03B48
D	79	73	68	64	60	54	70	58	51	80	48
d	48	48	48	35	35	35	35	30	25	40	25
e	6.5	6.5	6.5	6.5	6.5	6.5	8.5/5	8/5	7/5	6.5	6.35
B	16	16	16	16	16	16	24	16.5	15	36	9
Rows	2	2	2	2	2	2	3	2	1	4	1




Converging



Straight

ZD 101

Popular HP diamond burs KIT 常用金刚石磨头套装



MD23, MK47, MJ60, MA23, MC18, MM27, MB21, ML40, MG16, MR23

10 Hot Spec. of HP Diamond, universally grind, remove, polish and finish of Alloy, metal, Jewellery, stones etc. It widely applied to Laboratory, DIY or Hobbies.

用途：选取10支最常用的金刚石磨头，形状全，大小适中，可以用来处理陶瓷，金属，树脂，石头，珠宝等 几乎所有材质。

ZD 104

Hot Fully-Sintered diamond KITS 全砂烧结磨头套装,常用




C 050S, F050S, L05S, B050C, A037, G050, C037F, F050F, M050EF, G050EF

10 spec. Hot Fully-sintered Diamond HP burs, universal grind, remove, polish and finish of Alloy, metal, Jewellery, stones etc. It widely applied to Lab, DIY or Hobbies.

用途：10个常用全砂烧结磨头，5种不同粗细。广泛适用于研磨，抛光金属，合金，珠宝，宝石。经久耐用，方便实惠。

ZT 102

Hot Tungsten carbide cutters Kit 钨钢磨头套装,常用



D050SP, L040SC, L060SC, F060SC, B023SC, L023SC, L040FC, C023FC, L040EFC, F060CC

10 spec. Tungsten carbide Cutter, universal grind, remove, polish and finish of Acrylic, Resin, stones, soft metal or wood.

用途：10个常用钨钢磨头，形状全，大小适中。主要用来研磨，抛光塑料，树脂，软金属，石头等，方便实惠。

ZP 100

Sandpaper Polishing burs Kit 砂纸棒套装




240 #, 400 #, 600 #, 800 #, 1000 #, 1500 #, 2000 #, 2500 #, 3500 #, 5000 #

10 different Grit Sandpaper burs are used for polishing Alloy, metal, Jewellery stones, hard woods etc, Working step by step, mirror surface in coming soon, water cooling or dry are acceptable.

用途：10个不同粒度的砂纸棒，从240目到5000目不等，请根据需要，选取合适的粒度，耐心细致的使用。

ZD 102

Small & Tiny Cut, HP diamond burs KIT 金刚石磨头,小号套装



MD10, MD14, MD23, MK16, MA16, MA23, MC25, MM12, MM18, MM27, MB12, MB16, MB21, ML16, ML23, MN18, MG16, MR23, MQ23, MU60.

20 Spec. small or sharp burs. To create tiny hole, slim curves or tiny, deep grind smartly. Used to Alloy, metal, ceramics, Jewellery, stones, hard wood etc. It widely applied to Laboratory, DIY or Hobbies.

用途：20支金刚石磨头，用来开小洞，孔，细边，细槽，或者小的磨削。很轻巧，灵活。适用于各种金属，合金，陶瓷，珠宝，宝石，木头等。

ZD 105

Fast Trimming Fully-Sintered diamond KIT 全砂烧结磨头套装,大磨削



K080S, K100S, J100S, C070S, M070S, B070S, L070S, G060S, F070S, R070S

If workpieces are extremely hard and waste too much time when grinding, this fast trimming kit may help to work efficiently. Applied to Alloy, metal, Jewellery, stones, hard wood, etc.

用途：10个大头的全砂烧结磨头，用于粗磨，去块，效率高，经济实惠。

ZF 101

Acrylic Polishing Kit 树脂基托抛光套装



F060SC, L040SC, U12 x 2, U13 x 2, U16 x 2

Simple and straight way to adjust Acrylic without the problem associated with pumice.

用途：2个型号的钨钢磨头快速磨削，三个不同粒度的硅胶磨头依次进行抛光。

ZD 103

Fast Trimming, HP diamond burs KIT 金刚石磨头套装,快速磨削




CQ23, CL40, SD35, SA50, SC40, SP70, SG50, SV70, SV60, SF60

20 Spec. HP Diamond for fast trimming, Grinding of Plastic, Jewellery, stones, Hard wood, etc. Save time when removing and work efficiently.

用途：10支常用的金刚石磨头，头部相对比较大，可以快速磨削塑料，木头，陶瓷和石头等等，适用于齿科，珠宝加工和DIY爱好者。

ZT 101

Popular HP Tungsten carbide burs KIT 常用低速钨钢针



HP 1/4, HP 1/2, HP 1, HP 2, HP 3, HP 4, HP 5, HP 8, HP 34, HP 36, HP 38, HP 41, HP 556, HP 557, HP 560, HP 563, HP 699, HP 701, HP 702, HP 704

20 Spec. HP Tungsten Carbide burs are used to create tiny hole, slim curves or tiny, deep grind very smartly. It is applied to Alloy, metal, ceramics, Jewellery, stones, hard wood etc.

用途：20个型号钨钢车针，用于雕牙花，钻小孔，洞，开细槽，细线等，金属，合金，宝石，坚木都可以用。

ZA 101

Non-precise metal, Alloy Adjust and polish 非贵金属，铬钴调整与抛光




W-01, W-09, W-08, W-16, W-03, W-06
A201C, A203C, A206C, A201F, A203F

To adjust and polish Cobalt-chromium, nickel chromium Alloy. White stones for adjusting or grinding, Rubber burs for polishing.

用途：试用于磨钴、镍铬合金等非贵金属的研磨和抛光，6支白车石用来研磨和调整，5支硅胶磨头用来抛光。

Z 2001

Popular Felt Polishing bur Kit 毛毡抛光磨头套装



12 pieces of High quality Felt polishing burs are widely used to mould, Alloy, metal, Jewellery, stones, Hard woods etc.

12 pieces of High quality Felt polishing burs are widely used to mould, Alloy, metal, Jewellery, stones, Hard woods etc.

用途：12支常用的毛毡磨头，广泛适用于各种模具，金属，陶瓷，珠宝，宝石和木头等。

ZS 100

Hot HP Mounted stones mixed 车石套装,常用。



G-01, G-02, G-03, G-06, G-08, G-17, P-01, P-02, P-03, P-06, P-08, P17
W-01, W-02, W-03, W-06, W-08, W-17, C-06, C-09 x 5 pcs of each

100 Pcs, Hot Mounted stones in Green, Pink, White, applied to Alloy, metal, ceramics, Jewellery, stones, hard wood etc.

用途：100支常用的车石，广泛用于磨削金属，合金，陶瓷，宝石，坚木等，经济实惠。



 **ISO** 13485  1639

BAOT BIOLOGICAL TECHNOLOGY CO., LTD.

Add: No.12 Building, Yujing Industry Zone, 106 Qihao Road, Torch Development District,
Zhongshan, Guangdong, China, 528400
Tel: +86 760 8789 3825
Fax: +86 760 8789 3827
Email: baot@baot.biz
Web: www.baot.biz